




DC Axial Fan Ø200x72.4mm



Axial Fans


Motor Type DC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VVDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 1.2KG	Wiring Mode D1
---	-------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model Part No.	Motor Type	Bearing System B/S	Rated Voltage VDC	Operating Voltage VDC	Rated Current A	Rated Power W	Rated Speed RPM	Air Flow M³/H	Air Pressure Pa	Sound Level dB(A)
PA3N200B24-RN0	BE72DC	BALL	24	16~28	2.2	52.8	3000	1000	280	62
PA3N200B48-RN0	BE72DC	BALL	48	36~57	1.1	52.8	3000	1000	280	62

DC Axial Fan Ø200x80mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
DC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VVDC/PWM	IP55	B	-25°C ~ +60°C	1.86KG	D1





Model	Motor	Bearing System	Rated Voltage	Operating Voltage	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VDC	VDC	A	W	RPM	M³/H	Pa	dB(A)
PA3N200B24-RZ0	BE72DC	BALL	24	16~28	2.2	52.8	3000	1000	280	62
PA3N200B48-RZ0	BE72DC	BALL	48	36~57	1.1	52.8	3000	1000	280	62

DC Axial Fan Ø250x72.4mm



Axial Fans


Motor Type DC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VVDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 1.4KG	Wiring Mode D1
---	-------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model Part No.	Motor Type	Bearing System B/S	Rated Voltage VDC	Operating Voltage VDC	Rated Current A	Rated Power W	Rated Speed RPM	Air Flow M³/H	Air Pressure Pa	Sound Level dB(A)
PA3N250B24-RN0	BE72DC	BALL	24	16~28	2.8	67.2	2500	1700	220	64
PA3N250B48-RN0	BE72DC	BALL	48	36~57	1.4	67.2	2500	1700	220	64

DC Axial Fan Ø250x80mm

Axial Fans



Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
DC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VVDC/PWM	IP55	B	-25°C ~ +60°C	2.2KG	D1



Model	Motor	Bearing System	Rated Voltage	Operating Voltage	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VDC	VDC	A	W	RPM	M³/H	Pa	dB(A)
PA3N250B24-RZ0	BE72DC	BALL	24	16~28	2.8	67.2	2500	1700	220	64
PA3N250B48-RZ0	BE72DC	BALL	48	36~57	1.4	67.2	2500	1700	220	64